



Confidential

AMENDMENT

TO AGREEMENT NO.

FPA3411SRB22110510227502

BETWEEN

HUAWEI TECHNOLOGIES D.O.O. Beograd

AND

Roaming Networks d.o.o.

AMENDMENT NO: FPA3411SRB22110510227502B2

ROAMING NETWORKS d.o.o.
Br. 17-2-16/2023
31.05 2023
BEOGRAD





AMENDMENT

Huawei Technologies d.o.o. Beograd, a company incorporated under the laws of Republic of Serbia and having its registered office located at Omladinskih brigada 90D, 11000 Belgrade, Serbia ("Huawei" or "Contractor").

AND

Roaming Networks d.o.o., a company incorporated under the laws of Republic of Serbia and having its registered office at Oblakovska 51, Belgrade, Serbia (hereinafter referred to as "Supplier" or "Subcontractor").

Huawei and the Supplier shall be referred to collectively as "Parties" or individually as a "Party" where the context of the Agreement so requires.

BASED ON

The FPA3411SRB22110510227502 signed between **Huawei Technologies d.o.o. Beograd** and **Roaming Networks d.o.o.** Both parties agree to comply with terms and conditions in this Amendment.

1. Scope definition

This amendment FPA3411SRB22110510227502B2 added additional work scope for railway project segment 3 for VOIP system and PIS & AVIS system, with both equipment and service. For detail scope, refers to Annex 1.

2. Contract price and payment

The amount paid to the Supplier shall be ascertained with the actual quantity specified in each PO and unit price which is included in the Annex 1. Bill of Quotation

2.1 Payment of equipment

2.1.1 1st Payment milestone:

After the Buyer issue the PO, the buyer accepts the correct invoices from the Supplier, and the Buyer pays the Supplier [60%] advance payment of the equipment price immediately

2.1.2 2nd Payment milestone:

The Buyer pays the Supplier [37%] of the equipment price, after equipment is delivered to the Buyer's designated warehouse and is inspected and approved. The payment will be made within 45 calendar days upon the acceptance of the invoice and the relevant documentation by Huawei Finance. The Supplier submits the following documents,

- (1) The commercial invoice and payment application of the delivered and unsettled materials;
- (2) The acceptance document issued by or approved by the Buyer;
- (3) The receipt list signed by the Buyer;

2.1.3 3rd Payment milestone:

The Buyer pays the Supplier [3%] of the equipment price, after equipment is commissioned and customer acceptance is done. The payment will be made within 45 calendar days upon the acceptance



of the invoice and the relevant documentation by Huawei Finance. The Supplier submits the following documents,

- (1) The commercial invoice and payment application of the materials;
- (2) The acceptance document issued by or approved by the Buyer;
- (3) The receipt list signed by the Buyer;

Upon receipt of the documents listed above, the Buyer shall review the authenticity and accuracy of the documents in accordance with the terms of this Contract as the basis for payment. The equipment should be inspected and approved within 14 days after it arrives at the Buyer's designated warehouse if it meets the requirement.

2.2 Payment of service

2.2.1 Upon the arrival (after passing the acceptance), installation and commissioning of all contract equipment and the acceptance(PAC), the Supplier applies to the Buyer for payment based on the acceptance documents and the payment application, and after the Buyer receives the above documents and verifies them as correct, the Buyer pays the Supplier [100%] of the service price. The payment will be made within 45 calendar days upon the acceptance of the invoice and the relevant documentation by Huawei Finance. The Supplier submits the following documents,

- (1) The commercial invoice and payment application of the service;
- (2) The acceptance document issued by or approved by the Buyer;
- (3) The receipt list signed by the Buyer;

2.3 Both sides agree the Buyer is entitled to use the payable to the supplier in other projects as the guarantee for the advance payment to the supplier. The buyer has the right to deduct the payment of other projects the buyer should pay to the supplier in the case that the buyer fails to fulfill its contract duty.

2.4 The price is agreed in EUR and the Invoicing and payment currency shall be RSD, and the exchange rate is accordance with the EUR/RSD middle exchange rate of the National bank of Serbia on the invoicing date.

3. Annex

Annex 1. Bill of Quotation

The present Amendment, entering into force starting from date both parties sign it. There are 3 (three) copies of this Amendment, 2 (two) copies for Contractor and 1 (one) for Supplier.

Huawei Technologies d.o.o. Beograd (Seal)

Roaming Networks d.o.o. Beograd (Seal):

Authorized representative's Name:

Authorized representative's Name:

Signature:

Signature:

Authorized representative's Title: GM

Authorized representative's Title:

Date:

01.06.2023

Date:

30.05.2023





Site	Item Description	PO description	payment terms	unit	Unit Cost price (€)
Whole Line	System configuration, issuing of attestation and Commissioning (for the whole section)	System configuration of information display system for the wholeline,issuing of attestation and commissioning	service	set	55,947.40
Whole Line	User training (for the entire section)	User training of Information display system for the entire section	Service	set	5,880.00
Whole Line	System configuration, issuing of attestation and Commissioning (for the whole section)	System configuration of AVIS system for the wholeline,issuing of attestation and commissioning	service	set	168,647.40
Whole Line	User training (for the entire section)	User training of avis system (for the entire section)	Service	set	5,488.00
Whole Line	Offered includes everything requested plus: Software package AVIS upgrade: 1. Upgrade and extension of performace monitoring for all elements for the entire section 2. UI adjustments and improvements	Whole line AVIS software package upgrade : upgrade and extension of performance monitoring for all elements ,UI adjustments and improvement	Service	set	32,880.00
Novi Sad	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20). Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 350 cd/m², contrast 3000:1, backlight. Integrated industrial PC. (CONRAC 6132 PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipment	pcs	5,227.32
Novi Sad	TFT information display for outdoor mounting, E-LED illumination, size 42", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 700 cd/m², contrast 1300:1, backlight. Integrated industrial PC. (CONRAC 6942PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipment	pcs	5,227.32
Novi Sad	TFT information display for outdoor mounting, E-LED illumination, size 32", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 450 cd/m², contrast 1300:1, backlight. Integrated industrial PC. (CONRAC 6932PD or equivalent)	TFT information display for outdoor mounting, E-LED illumination, size 42", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 700 cd/m², contrast 1300:1, backlight. Integrated industrial PC	Equipment	pcs	5,717.32





Novi Sad	Bracket for mounting the single-sided information display with all necessary materials.	Bracket for mounting the single-sided information display with all necessary materials.	Equipment	pcs	376.32
Novi Sad	Bracket for mounting the double-sided information display with all necessary materials.	Bracket for mounting the double-sided information display with all necessary materials.	Equipment	pcs	752.64
Kisac	TFT information display for outdoor mounting, E-LED illumination, size 42", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 700 cd/m², contrast 1300:1, backlight. Integrated industrial PC. (CONRAC 6942PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipment	pcs	5,227.32
Kisac	TFT information display for outdoor mounting, E-LED illumination, size 32", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 450 cd/m², contrast 1300:1, backlight. Integrated industrial PC. (CONRAC 6932PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipment	pcs	5,227.32
Kisac	Bracket for mounting the single-sided information display with all necessary materials.	Bracket for mounting the single-sided information display with all necessary materials.	Equipment	pcs	376.32
Kisac	Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station - ownership of the Infrastructure of Serbian Railways)	Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station)	Equipment	pcs	4,900.00
Kisac	Procurement and delivery and installation of the AVIS software product expansion server. Minimum HP 16GB 2x300GB. Completed with Windows Server, sound cards, system cables and all necessary equipment.	Procurement and delivery and installation of the AVIS software product expansion server. Completed all necessary equipment and materials	Equipment	pcs	5,000.00
Stepanov icevo	TFT information display for outdoor mounting, E-LED illumination, size 42", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 700 cd/m², contrast 1300:1, backlight. Integrated industrial PC. (CONRAC 6942PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipment	pcs	5,227.32





Stepanov icevo	TFT information display for outdoor mounting, E-LED illumination, size 32", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 450 cd/m², contrast 1300:1, backlight. Integrated industrial PC. (CONRAC 6932PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipme nt	pcs	5,227.32
Stepanov icevo	Bracket for mounting the single-sided information display with all necessary materials.	Bracket for mounting the single-sided information display with all necessary materials.	Equipme nt	pcs	376.32
Stepanov icevo	Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station - ownership of the Infrastructure of Serbian Railways)	Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station)	Equipme nt	pcs	4,900.00
Stepanov icevo	Procurement and delivery and installation of the AVIS software product expansion server. Minimum HP 16GB 2x300GB. Completed with Windows Server, sound cards, system cables and all necessary equipment	Procurement and delivery and installation of the AVIS software product expansion server. Completed all necessary equipment and materials	Equipme nt	pcs	5,000.00
Zmajevo	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20). Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipme nt	pcs	5,227.32
Zmajevo	TFT information display for outdoor mounting, E-LED illumination, size 42", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 700 cd/m², contrast 1300:1, backlight. Integrated industrial PC. (CONRAC 6942PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipme nt	pcs	5,227.32
Zmajevo	TFT information display for outdoor mounting, E-LED illumination, size 32", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 450 cd/m², contrast 1300:1, backlight. Integrated industrial PC. (CONRAC 6932PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipme nt	pcs	5,227.32
Zmajevo	Bracket for mounting the single-sided information display with all necessary materials.	Bracket for mounting the single-sided information display with all necessary materials.	Equipme nt	pcs	376.32





Zmajevo	Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station - ownership of the Infrastructure of Serbian Railways)	Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station)	Equipment	pcs	4,900.00
Zmajevo	Procurement and delivery and installation of the AVIS software product expansion server. Minimum HP 16GB 2x300GB. Completed with Windows Server, sound cards, system cables and all necessary equipment	Procurement and delivery and installation of the AVIS software product expansion server. Completed all necessary equipment and materials	Equipment	pcs	5,000.00
Vrbas	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20). Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 350 cd/m², contrast 3000:1, backlight. Integrated industrial PC. (CONRAC 6132 PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipment	pcs	5,227.32
Vrbas	TFT information display for outdoor mounting, E-LED illumination, size 42", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 700 cd/m², contrast 1300:1, backlight. Integrated industrial PC. (CONRAC 6942PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipment	pcs	5,227.32
Vrbas	TFT information display for outdoor mounting, E-LED illumination, size 32", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 450 cd/m², contrast 1300:1, backlight. Integrated industrial PC. (CONRAC 6932PD or equivalent)	TFT information display for outdoor mounting, E-LED illumination, size 42", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 700 cd/m², contrast 1300:1, backlight. Integrated industrial PC	Equipment	pcs	5,717.32
Vrbas	Bracket for mounting the single-sided information display with all necessary materials.	Bracket for mounting the single-sided information display with all necessary materials.	Equipment	pcs	376.32
Vrbas	Bracket for mounting the double-sided information display with all necessary materials.	Bracket for mounting the double-sided information display with all necessary materials.	Equipment	pcs	752.64
Vrbas	Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station - ownership of the Infrastructure of Serbian Railways)	Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station)	Equipment	pcs	4,900.00





Vrbas	Procurement and delivery and installation of the AVIS software product expansion server. Minimum HP 16GB 2x300GB. Completed with Windows Server, sound cards, system cables and all necessary equipment	Procurement and delivery and installation of the AVIS software product expansion server. Completed all necessary equipment and materials	Equipment	pcs	5,000.00
Vrbas	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20). Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 350 cd/m², contrast 3000:1, backlight. Integrated industrial PC. (CONRAC 6132 PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipment	pcs	5,227.32
Vrbas	TFT information display for outdoor mounting, E-LED illumination, size 42", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 700 cd/m², contrast 1300:1, backlight. Integrated industrial PC. (CONRAC 6942PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipment	pcs	5,227.32
Vrbas	Bracket for mounting the single-sided information display with all necessary materials.	Bracket for mounting the single-sided information display with all necessary materials.	Equipment	pcs	376.32
Vrbas	Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station - ownership of the Infrastructure of Serbian Railways)	Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station)	Equipment	pcs	4,900.00
Vrbas	Procurement and delivery and installation of the AVIS software product expansion server. Minimum HP 16GB 2x300GB. Completed with Windows Server, sound cards, system cables and all necessary equipment	Procurement and delivery and installation of the AVIS software product expansion server. Completed all necessary equipment and materials	Equipment	pcs	5,000.00
Mali Idjos	TFT information display for outdoor mounting, E-LED illumination, size 42", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 700 cd/m², contrast 1300:1, backlight. Integrated industrial PC. (CONRAC 6942PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipment	pcs	5,227.32





Mali Idjos	TFT information display for outdoor mounting, E-LED illumination, size 32", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 450 cd/m², contrast 1300:1, backlight. Integrated industrial PC. (CONRAC 6932PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipment	pcs	5,227.32
Mali Idjos	Bracket for mounting the single-sided information display with all necessary materials.	Bracket for mounting the single-sided information display with all necessary materials.	Equipment	pcs	376.32
Mali Idjos	Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station - ownership of the Infrastructure of Serbian Railways)	Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station)	Equipment	pcs	4,900.00
Mali Idjos	Procurement and delivery and installation of the AVIS software product expansion server. Minimum HP 16GB 2x300GB. Completed with Windows Server, sound cards, system cables and all necessary equipment	Procurement and delivery and installation of the AVIS software product expansion server. Completed all necessary equipment and materials	Equipment	pcs	5,000.00
Backa Topola	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20). Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 350 cd/m², contrast 3000:1, backlight. Integrated industrial PC. (CONRAC 6132 PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipment	pcs	5,227.32
Backa Topola	TFT information display for outdoor mounting, E-LED illumination, size 42", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 700 cd/m², contrast 1300:1, backlight. Integrated industrial PC. (CONRAC 6942PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipment	pcs	5,227.32
Backa Topola	TFT information display for outdoor mounting, E-LED illumination, size 32", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 450 cd/m², contrast 1300:1, backlight. Integrated industrial PC. (CONRAC 6932PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipment	pcs	5,227.32





Backa Topola	Bracket for mounting the single-sided information display with all necessary materials.	Bracket for mounting the single-sided information display with all necessary materials.	Equipment	pcs	376.32
Backa Topola	Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station - ownership of the Infrastructure of Serbian Railways)	Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station)	Equipment	pcs	4,900.00
Backa Topola	Procurement and delivery and installation of the AVIS software product expansion server. Minimum HP 16GB 2x300GB. Completed with Windows Server, sound cards, system cables and all necessary equipment	Procurement and delivery and installation of the AVIS software product expansion server. Completed all necessary equipment and materials	Equipment	pcs	5,000.00
Zednik	TFT information display for outdoor mounting, E-LED illumination, size 42", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 700 cd/m², contrast 1300:1, backlight. Integrated industrial PC. (CONRAC 6942PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipment	pcs	5,227.32
Zednik	TFT information display for outdoor mounting, E-LED illumination, size 32", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 450 cd/m², contrast 1300:1, backlight. Integrated industrial PC. (CONRAC 6932PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipment	pcs	5,227.32
Zednik	Bracket for mounting the single-sided information display with all necessary materials.	Bracket for mounting the single-sided information display with all necessary materials.	Equipment	pcs	376.32
Zednik	Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station - ownership of the Infrastructure of Serbian Railways)	Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station)	Equipment	pcs	4,900.00
Zednik	Procurement and delivery and installation of the AVIS software product expansion server. Minimum HP 16GB 2x300GB. Completed with Windows Server, sound cards, system cables and all necessary equipment	Procurement and delivery and installation of the AVIS software product expansion server. Completed all necessary equipment and materials	Equipment	pcs	5,000.00





Naumovi cevo	TFT information display for outdoor mounting, E-LED illumination, size 42", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 700 cd/m², contrast 1300:1, backlight. Integrated industrial PC. (CONRAC 6942PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipme nt	pcs	5,227.32
Naumovi cevo	TFT information display for outdoor mounting, E-LED illumination, size 32", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 450 cd/m², contrast 1300:1, backlight. Integrated industrial PC. (CONRAC 6932PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipme nt	pcs	5,227.32
Naumovi cevo	Bracket for mounting the single-sided information display with all necessary materials.	Bracket for mounting the single-sided information display with all necessary materials.	Equipme nt	pcs	376.32
Naumovi cevo	Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station - ownership of the Infrastructure of Serbian Railways)	Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station)	Equipme nt	pcs	4,900.00
Naumovi cevo	Procurement and delivery and installation of the AVIS software product expansion server. Minimum HP 16GB 2x300GB. Completed with Windows Server, sound cards, system cables and all necessary equipment	Procurement and delivery and installation of the AVIS software product expansion server. Completed all necessary equipment and materials	Equipme nt	pcs	5,000.00
Subotica	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20). Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 350 cd/m², contrast 3000:1, backlight. Integrated industrial PC. (CONRAC 6132 PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipme nt	pcs	5,227.32
Subotica	TFT information display for outdoor mounting, E-LED illumination, size 42", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 700 cd/m², contrast 1300:1, backlight. Integrated industrial PC. (CONRAC 6942PD or equivalent)	TFT information display for indoor mounting, E-LED illumination, size 32", format 16:9 (IP20), backlight. Integrated industrial PC	Equipme nt	pcs	5,227.32





Subotica	TFT information display for outdoor mounting, E-LED illumination, size 32", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 450 cd/m², contrast 1300:1, backlight. Integrated industrial PC. (CONRAC 6932PD or equivalent)	TFT information display for outdoor mounting, E-LED illumination, size 42", format 16:9. Resolution minimum 1920 x 1080 (HD), view angle 178°, illumination minimum 700 cd/m², contrast 1300:1, backlight. Integrated industrial PC	Equipment	pcs	5,717.32
Subotica	Bracket for mounting the single-sided information display with all necessary materials.	Bracket for mounting the single-sided information display with all necessary materials.	Equipment	pcs	376.32
Subotica	Bracket for mounting the double-sided information display with all necessary materials.	Bracket for mounting the double-sided information display with all necessary materials.	Equipment	pcs	752.64
Subotica	Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station - ownership of the Infrastructure of Serbian Railways)	Procurement and delivery of the AVIS software package extension (compatible with the planned video management system in the central station)	Equipment	pcs	4,900.00
Subotica	Procurement and delivery and installation of the AVIS software product expansion server. Minimum HP 16GB 2x300GB. Completed with Windows Server, sound cards, system cables and all necessary equipment	Procurement and delivery and installation of the AVIS software product expansion server. Completed all necessary equipment and materials	Equipment	pcs	5,000.00





M2T1A782N870682832770408611.xlsx

文档密级





M2T1A782N870682994359718035. xlsx

文档密级

ITEM	PO description	Unit	payment	Unit price(€)
A more complex type of IP phone. 800x180 pixels with 5 "LCD color monitor. Provides 6 lines, 1 Bluetooth and up to 3 extensions with 40 programmable buttons (with LED indication). 2 GE ports (10/100/1000). (eSpace 7050 or equivalent)	800x180 pixels with 5 "LCD color monitor. Provides 6 lines, 1 Bluetooth and up to 3 extensions with 40 programmable buttons (with LED indication). 2 GE ports (10/100/1000). (eSpace 7050 or equivalent)	set	Equipment	409.9
Commissioning of all equipment (basic functionality with check of all points of the network) - for the entire section	Commissioning of all equipment for the entire section	set	Service	22213.3
Global acceptance and verification - for the entire section	Global acceptance and verification for the entire section	set	Service	22213.3
Integration of equipment (basic functionality with check of all points of the network) and testing for the Owner /Investor's basic acceptance - for the entire section	Integration of equipment and testing for the Owner for the entire section	set	Service	22213.3
Interconnector for analogue devices with a minimum of 16 FXS ports, 1 WAN port, and 2 LAN ports (eSpace IAD132E (T) or equivalent)	Interconnector for analogue devices with a minimum of 16 FXS ports, 1 WAN port, and 2 LAN ports	set	Equipment	2350.0
Interconnector for analogue devices with a minimum of 8 FXS ports, 1 WAN port, and 2 LAN ports (eSpace IAD132E (T) or equivalent)	Interconnector for analogue devices with a minimum of 8 FXS ports, 1 WAN port, and 2 LAN ports	set	Equipment	1390.0
Local VoIP exchange for 200 "voice" users, expandable up to 1000. (eSpace U1960 or equivalent)	Local VoIP exchange for 200 "voice" users, expandable up to 1000. (eSpace U1960 or equivalent)	set	Equipment	95494.0
NMS extension (include Licenses for extension)	NMS extension (include Licenses for extension)	set	Equipment	25150.0
The basic type of IP phone. 320x240 pixels with 2.83 "color LCD monitor. Provides 3 lines, 10 programmable and 4 fixed buttons (with LED indication), Speaker / Headset / Mute / Navigation. 2 GE ports (10/100/1000). Comes with an adapter. (eSpace 7910 or equivalent)	320x240 pixels with 2.83 "color LCD monitor. Provides 3 lines, 10 programmable and 4 fixed buttons (with LED indication), Speaker / Headset / Mute / Navigation. 2 GE ports (10/100/1000). Comes with an adapter. (eSpace 7910 or equivalent)	set	Equipment	375.5

